



**LAND GROUP**  
— FOR NEXT MIRACLE —



# TOOLS WORLD

More, better, newest

## Professional...

In order to supply more and professional tools.  
We, LAND GROUP, based on the experience of manufacturing and trading for many years, developed large range of professional tools by building professional developing team in 2010; right now we can supply thousands of professional tools. At the same time the best quality guaranteed by our quality system. Advanced logistic system make sure our best service for our customers, like best delivery time, smaller stock.

Welcome friends come to cooperate with us.

## High grade tool series...



### Combination Pliers

- German-style, Cr-V forged body.
- Incision after high-frequency hardening process, go
- Double injection handle with two colors



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109001514	6"(150mm)	565x340x270	60/10	15/13
109001515	7"(175mm)	595x340x300	60/10	15/13
109001516	8"(200mm)	665x340x300	60/10	15/13

**TOP**  
**NEW**

### High Grade Combination Pliers

- Cr-V forged body, the hardness after the professional heat treatment is about 60HRC.
- Handles made from environmental friendly material TPR+PP with anti-slip structure, comfortable and powerful grip.
- Special nickel steel process treated head, novel and beautiful style.
- European-style.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109001503	6"(150mm)	530x355x260	60/10	15/13
109001502	7"(180mm)	565x355x290	60/10	19/17
109001501	8"(200mm)	605x355x290	60/10	24/22

**TOP**

### Cutting Pliers

- German-style, Cr-V forged body.
- Incision after high-frequency hardening process, go
- Double injection handle with two colors



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109002514	6"(150mm)	575x340x270	60/10	16/14

**TOP**  
**NEW**

### High Grade Cutting Pliers

- Cr-V forged body, the hardness after the professional heat treatment is about 60HRC.
- Handles made from environmental friendly material TPR+PP with anti-slip structure, comfortable and powerful grip.
- Special nickel steel process treated head, novel and beautiful style.
- European-style.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109002503	6"(150mm)	530x355x260	60/10	16/14

**TOP**

### Long Nose Pliers

- German-style, Cr-V forged body.
- Incision after high-frequency hardening process, go
- Double injection handle with two colors



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109003514	6"(150mm)	515x340x270	60/10	15/13
109003515	7"(175mm)	555x340x300	60/10	12/10
109003516	8"(200mm)	555x340x300	60/10	11/9

**TOP**  
**NEW**

### High Grade Long nose Pliers

- Cr-V forged body, the hardness after the professional heat treatment is about 60HRC.
- Handles are made from environmental friendly material TPR+PP, with anti-slip structure, comfortable and powerful grip.
- Special nickel steel process treated head, novel and beautiful style.
- European-style.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109003503	6"(150mm)	415x355x260	60/10	11/9
109003502	7"(180mm)	440x355x290	60/10	12/10

**TOP**

### High Grade VDE Combination Pliers

- VDE certified pliers with the world industrial class, high pressure insulative protective handle, with comfortable grip.
- Surface and incision are all with inductive and hardening process, and the hardness of incision is around 55-65HRC.
- Suitable for the cutting of all metal wire, and electric wire, with easy operation.
- Pliers with VDE certification, insulation resistance against the voltage under 1000V.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109001511	6"(160mm)	430x400x260	60/1	15/13
109001512	8"(200mm)	400x305x260	30/1	12/10

### High Grade VDE Cutting Pliers

- VDE certified pliers with the world industrial class, high pressure insulative protective handle, with comfortable grip.
- Surface and incision are all with inductive and hardening process, and the hardness of incision is around 55-65HRC.
- Suitable for the cutting of all metal wire, and electric wire, with easy operation.
- Pliers with VDE certification, insulation resistance against the voltage under 1000V.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109002511	6"(160mm)	430x400x260	60/1	15/13

### High Grade VDE Long Nose Pliers

- VDE certified pliers with the world industrial class, high pressure insulative protective handle, with comfortable grip.
- Surface and incision are all with inductive and hardening process, and the hardness of incision is around 55-65HRC.
- Suitable for the cutting of all metal wire, and electric wire, with easy operation.
- Pliers with VDE certification, insulation resistance against the voltage under 1000V.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109003511	6"(160mm)	430x400x260	60/1	11/9
109003512	8"(200mm)	400x305x260	30/1	9/7

### High Grade Lock-grip Pliers

- Round mouth
- Co-molded rubber handle
- Cr-V alloy steel forging jaw



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109014502	10"(250mm)	560x320x215	60/6	29/27

**TOP**

### High Grade Slip-joint Pliers

- Ferro-nickel plated
- Cr-V steel forged
- 2-color dip plastic pliers handle



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109012502	10"(250mm)	440x325x230	48/6	16/14

**TOP**

### High Grade Water Pump Pliers

- Ferro-nickel plated
- Cr-V steel forged
- 2-color dip plastic pliers handle



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109011501	8"(200mm)	440x325x230	48/6	15/13
109011502	10"(250mm)	365x360x255	36/6	17/15
109011503	12"(300mm)	425x265x280	24/6	17/15

**TOP**



### High Grade Pipe Wrench

- Dip plastic pliers handle



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109007501	8"(200mm)	225x170x195	18/1	8/7
109007502	10"(250mm)	280x195x160	12/1	9/8
109007503	12"(250mm)	305x150x170	8/1	9/8
109007504	14"(350mm)	350x245x105	6/1	9/8
109007505	18"(450mm)	445x185x115	4/1	9/8
109007506	24"(600mm)	555x165x130	3/1	11/10

### High Grade Pipe Cutter

- Suitable for cutting the copper or aluminium tube or any tube of thin wall with the diameter from 6mm to 64mm.
- Replacing blade in line handle.
- Aluminium cast body, ball bearing steel blade.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
115035001	6-64mm	580x290x330	24/4	14/12

### PVC Pipe Cutter

- Specially suitable for cutting of the plastic tube made of PVC, ABS, CPVC etc. with the diameter from 3mm to 42mm.
- Smooth and accurate cutting with only one hand.
- Aluminium alloy handle, SK-5 blade.
- With safety clip, portable and easy for storage.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
115003502	3-42mm	560x290x410	48/6	23.5/22.5

TOP

### High Grade Bolt Cutters

- Cutting edge made by forged Cr-Mo, wholly heat treated, surface blackened by oxidation.
- Cutting edge quenched by high-frequency induction, hardness of the edge is HRC56-62.
- The gap between two edges adjustable by a nut.
- Personalized handle, energy saving and comfortable.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109006501	18"(450mm)	485x305x175	8/1	14/13
109006502	24"(600mm)	655x290x185	6/1	17/16
109006503	30"(750mm)	800x220x200	4/1	17/16
109006504	36"(900mm)	940x215x185	3/1	17/16

TOP

TOP

### High Grade Plastic Nozzle Pliers

- Soft handle for comfortable grip
- Cr-V alloy forged



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109019501	5"(125mm)	440x220x310	100/10	10/8
109019502	6"(150mm)	440x240x310	60/10	9/7
109019503	7"(180mm)	460x280x330	40/10	11/9

TOP

TOP

### High Grade Wire Cutter

- Cr-V alloy forged, Edge of special high-frequency quenching treatment
- Specific safe lock
- Handle reset spring will realize the restricted reset



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109009504	8"(200mm)	505x280x290	60/6	21/20

TOP

### High Grade Wire Cutting Pliers

- Cr-V alloy forged, fine-grinding edge
- Can easily cut multi-strand copper, aluminium cable and copper materials
- Soft handle for comfortable grip.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109009501	6"(150mm)	235x180x95	60/10	12/10
109009502	8"(200mm)	285x115x95	36/6	60/10
109009503	10"(250mm)	320x130x95	24/6	12/10

TOP

### High Grade Steel Sheet Scissors

- 50Cr-V forged alloy, cutting edge specially quenched
- Accurate match of the two cutting edge, no offset during cutting, smoothly
- With safe lock
- Double material grip for comfortable feeling
- The max cutting ability: 1.2mm cold-rolled iron or 0.7mm stainless steel



BENT RIGHT HEAD (109008502)      STRAIGHT HEAD (109008503)      BENT LEFT HEAD (109008501)

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109008501	10"(250mm)	450x330x440	20/5	9/8
109008502	10"(250mm)	450x330x440	20/5	9/8
109008503	10"(250mm)	450x330x440	20/5	9/8

TOP

### High Grade Iron Sheet Scissors

- 50Cr-V forged alloy
- Plastic stained grip for comfortable feeling
- American-style



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109009506	12"(300mm)	385x290x250	24/1	13/12

TOP

### High Grade Adjustable Wrench

- Accurate screws with scale
- Phosphate treated to be rust resistant
- Anti-slip and comfortable rubber grip
- Handle which can be used as a ring wrench



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
110004501	6"(150mm)	515x260x315	100/10	18/16
110004502	8"(200mm)	390x320x345	60/10	20/18
110004503	10"(250mm)	385x360x240	30/5	19/17
110004504	12"(300mm)	420x285x260	20/5	19/17

TOP

### High Grade Ratchet Wrench With 2-color Handle

- 45 teeth ratchet, using freely even for small angles.
- Easy to take off, easy and convenient.
- Quick switch between the directions, one hand enough for free operation
- Anti-slip double material rubber handle, forged 40Cr body.
- High grade polished surface, corrosion resistant.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
110011501	1/2" x 250mm	360x330x345	24/4	17/15

TOP





**LAND GROUP**  
FOR NEXT MIRACLE

## High grade Tool series

### High Grade Combination Wrench With Anti-slip

- High quality carbon steel, 20% higher torsional moment than normal
- The size of both ends is the same, accurate size to secure the safe clamp
- Anti-slip handle, comfortable feel, guarantee the firm grip during use
- Chrome plated, rust and corrosion resistant

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W.N.W(kg)
110012501	8mm	325x285x270	240/12	10/8
110012502	9mm	340x285x270	240/12	11/9
110012503	10mm	365x285x180	120/6	8/6
110012504	11mm	385x285x180	120/6	9/7
110012505	12mm	410x285x190	120/6	11/9
110012506	13mm	420x285x200	120/6	13/11
110012507	14mm	440x285x210	120/6	14/12
110012508	15mm	410x245x260	72/6	11/9
110012509	17mm	410x255x285	72/6	12/10
110012510	19mm	410x280x205	48/6	10/8
110012511	22mm	410x310x175	36/6	12/10
110012512	24mm	335x225x240	24/6	10/8
110012513	27mm	365x225x240	24/6	12/10
110012514	30mm	395x225x290	24/6	15/13
110012515	32mm	410x225x300	24/6	17/15

### High Grade Double End Wrench With Anti-slip

- High quality carbon steel, 20% higher torsional moment than normal
- The size of both ends is the commonly used neighboring two, accurate size to secure the safe clamp
- Anti-slip handle, comfortable feel, guarantee the firm grip during use
- Chrome plated, rust and corrosion resistant

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W.N.W(kg)
110013501	6mm x 7mm	340x285x270	240/12	10/8
110013502	8mm x 10mm	370x285x180	120/6	8/6
110013503	10mm x 12mm	375x285x190	120/6	10/8
110013505	12mm x 14mm	385x285x195	120/6	11/9
110013506	13mm x 15mm	285x220x245	72/6	10/8
110013507	14mm x 17mm	410x235x270	72/6	11/9
110013508	16mm x 18mm	410x235x285	72/6	13/11
110013509	17mm x 19mm	410x250x210	48/6	10/8
110013510	19mm x 22mm	410x260x220	48/6	11/9
110013511	22mm x 24mm	410x280x180	36/6	11/9
110013512	24mm x 27mm	305x210x245	24/6	10/8
110013513	30mm x 32mm	340x225x315	24/6	14/12

### High Grade Double Box End Wrench With Anti-slip

- High quality carbon steel, 20% higher torsional moment than normal
- The size of both ends is the commonly used neighboring two, accurate size to secure the safe clamp
- Anti-slip handle, comfortable feel, guarantee the firm grip during use
- Chrome plated, rust and corrosion resistant

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W.N.W(kg)
110009502	8mm x 10mm	285x225x270	120/12	11/9
110009503	10mm x 12mm	410x235x355	120/12	14/12
110009505	12mm x 14mm	410x250x230	72/12	12/10
110009508	14mm x 17mm	410x275x230	72/12	14/12
110009509	17mm x 19mm	300x225x260	36/6	11/9
110009510	19mm x 22mm	320x225x285	36/6	12/10
110009511	22mm x 24mm	365x225x285	36/6	15/13
110009513	24mm x 27mm	410x225x210	24/6	14/12
110009514	30mm x 32mm	460x230x225	24/6	17/15

### High Grade Double Gauge Sharp-tailed Ratchet Wrench

- High quality Cr-V forged, excellent toughness with super torque.
- Combination of two most commonly used adjacent sizes.
- Fast shift between positive and negative pull screw, can be easily operated by a single hand.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W.N.W(kg)
110011503	16mm x 18mm	335x305x240	24	13/12
100011504	17mm x 19mm	335x305x240	24	13/12
110011505	19mm x 22mm	335x305x240	24	13/12
110011506	22mm x 24mm	335x305x240	24	13/12
110011507	24mm x 27mm	395x350x200	18	15/14
110011508	27mm x 30mm	395x350x200	18	15/14
110011509	30mm x 32mm	425x255x215	12	13/12

### High Grade L-type Extension Bar

- 6140 Cr-V, with strong torsion.
- Polished chrome plated, rust and corrosion resistant.
- Steel ball locking system to avoid falling off during use.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W.N.W(kg)
110020501	1/2"x250mm	295x200x190	36/6	17/16

### High Grade Sliding Shaft

- 6140 Cr-V, with strong torsion.
- Polished chrome plated, rust and corrosion resistant.
- Steel ball locking system to avoid falling off during use.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W.N.W(kg)
110020502	1/2"x250mm	280x265x165	36/6	14/13

### High Grade Universal Joint

- 50BV30 Cr-V, with strong torsion.
- Polished chrome plated, rust and corrosion resistant.
- Can be adjusted in 180°, for the use of places with different angles.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W.N.W(kg)
110020506	1/2"	290x175x90	60/10	11/10

### High Grade Extension Bar

- 6140 Cr-V, with strong torsion.
- Polished chrome plated, rust and corrosion resistant.
- Steel ball locking system to avoid falling off during use.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W.N.W(kg)
110020503	1/2"x75mm	215x190x160	120/20	15/14
110020504	1/2"x125mm	230x205x155	60/10	20/19
110020505	1/2"x280mm	280x205x120	40/10	17/16

### High Grade 1/2" Socket

- 50BV30 Cr-V.
- Polished chrome plated, rust and corrosion resistant.
- Satisfy the demands of all industries and professions.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W.N.W(kg)
110010501	8mm	250x125x175	240/12	11.5/10.5
110010502	9mm	250x125x175	240/12	12/10.8
110010503	10mm	250x125x175	240/12	12/11
110010504	11mm	250x125x175	240/12	12.5/11.3
110010505	12mm	250x125x175	240/12	12.5/11.5
110010506	13mm	250x125x175	240/12	13/12
110010507	14mm	250x125x175	240/12	13.5/12.5
110010508	15mm	250x125x175	240/12	13.5/12.3
110010509	16mm	250x125x175	240/12	13.5/12.5
110010510	17mm	280x140x180	144/12	10/8.8
110010511	18mm	290x150x180	144/12	11.5/10.5
110010512	19mm	290x150x180	144/12	10/8.8
110010513	20mm	340x170x180	144/12	11.5/10.5
110010514	21mm	340x170x180	144/12	10.5/9.5
110010515	22mm	340x170x180	144/12	13/12
110010516	23mm	340x170x180	144/12	15.5/14.5
110010517	24mm	290x190x140	144/12	13.5/12.5
110010520	27mm	320x200x150	72/12	10.5/9.2
110010523	30mm	350x230x150	72/6	13.5/12.5
110010524	32mm	370x230x150	72/6	15.5/14.5

### High-grade Combination Matte Ratchet Spanner



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W.N.W(kg)
110011511	8mm	295x190x295	120/12	7/5
110011512	9mm	295x190x295	120/12	8/6
110011513	10mm	310x205x295	120/12	9/7
110011514	11mm	310x205x295	120/12	11/9
110011515	12mm	345x220x295	120/12	13/11
110011516	13mm	345x220x295	120/12	14/12
110011517	14mm	460x420x205	120/12	16/14
110011518	15mm	460x420x205	120/12	18/16
110011519	16mm	480x460x220	120/12	22/20
110011520	17mm	460x260x230	36/6	13/11
110011521	18mm	420x270x240	36/6	16/14
110011522	19mm	420x280x245	36/6	17/15
110011525	22mm	455x325x170	48/6	15/13





**LAND GROUP**  
FOR NEXT MIRACLE

# High grade Tool series

## High Grade Long Type Hex Key Wrench

- CR-V, overall quenching, super-hardness.
- L-shaped hexagonal bar wrench for fastening interior hexagonal nut, bolt.
- Chamfered end convenient to install the nut ball head for narrow space.



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
110006523	2mm	230x130x120	600/100	4/2
110006525	3mm	260x160x155	600/100	7/5
110006526	4mm	290x185x195	600/100	12/10
110006527	5mm	325x230x155	360/60	12/10
110006529	6mm	365x245x120	240/60	14/12
110006531	8mm	365x230x150	120/30	14/12
110006532	10mm	400x135x175	60/30	13/11

## High Grade 6pcs Screwdriver Set

- CR-V
- PH: 0#, 1#, 2#
- slot type: 3mm, 5mm, 6mm.



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111009509	6PCS	315x295x195	60/10	8/6

## High Grade 6pcs Hex Key Wrench Set

- CR-V
- Hex: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm.



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
110007505	6PCS	315x295x195	60/10	8/6

## High Grade 6pcs Hex Key Wrench Set

- CR-V
- T10, T15, T20, T25, T27, T30



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
110007507	6PCS	315x295x195	60/10	8/6

## High Grade Long Type Hex Key Wrench Set

- CR-V, overall quenching, super-hardness.
- L-shaped hexagonal bar wrench for fastening interior hexagonal nut, bolt.
- Chamfered end convenient to install the nut ball head for narrow space.
- 9PCS: 1.5-2-2.5-3-4-5-6-8-10mm



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
110007502	9PCS	325x265x315	24/6	12/11

## High Grade Long Type Hex Key Wrench Set

- CR-V, overall quenching, super-hardness.
- L-shaped hexagonal bar wrench for fastening interior hexagonal nut, bolt.
- 9PCS: T10-T15-T20-T25-T27-T30-T40-T45-T50



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
110007506	9PCS	325x265x315	24/6	12/11

## High Grade Hex Key Wrench Set

- CR-V, overall quenching, super-hardness.
- L-shaped hexagonal bar wrench for fastening interior hexagonal nut, bolt.
- Chamfered end convenient to install the nut ball head for narrow space.
- 9PCS: 1.5-2-2.5-3-4-5-6-8-10mm



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
110007501	9PCS	325x265x315	24/6	10/9

## High Grade Long Type Hex Key Wrench

- CR-V, fine polished surface.
- Long handle to increase the moment.
- Ball-shaped tip is suitable for the operation as inclined as 25° for the limited space.
- TPR+PP handle.
- 6pcs: 2- 2.5- 3-5-6-8mm, 9pcs: 2-2.5-3-4-5-6-7-8-10mm



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
410070701	6pcs	375x255x235	10	6/4
410070702	9pcs	445x255x265	10	11/9

## High Grade Screwdriver

- Passed The Test Under German D/N Torque Standard.
- High Grade S-2 Shaft.
- Hardness Of The Edge Is 52-56HRC.
- TPR+PP Double Color Handle.



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111002501	⊕ 3/5x75mm	400x240x285	100/10	7/5
111002506	⊕ 3/5x75mm	400x240x285	100/10	7/5
111002502	⊕ 4/6x100mm	435x245x285	100/10	11/9
111002507	⊕ 4/6x100mm	435x245x285	100/10	11/9
111002503	⊕ 5/6x125mm	435x270x285	100/10	12/10
111002508	⊕ 5/6x125mm	435x270x285	100/10	12/10
111002504	⊕ 6/6x150mm	435x245x285	100/10	13/11
111002509	⊕ 6/6x150mm	435x245x285	100/10	13/11
111002505	⊕ 8/8x200mm	355x245x355	60/10	13/11
111002510	⊕ 8/8x200mm	355x245x355	60/10	13/11

## High Grade Screwdriver

- High quality Cr-Mo shaft.
- Phosphate treated to be rust resistant. Black tip with powerful magnetism.
- Beautiful & ergonomics three-color handle, skidproof, easy for operation.



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111001521	⊕ 3/3x75mm	335x185x190	120/10	5/3.5
111001522	⊕ 3/3x75mm	235x185x195	120/10	5/3.5
111001523	⊕ 4/7x100mm	230x230x250	60/10	6.5/5.5
111001524	⊕ 4/7x100mm	230x230x250	60/10	6.5/5.5
111001525	⊕ 5/6x125mm	255x230x250	60/10	7/5.5
111001526	⊕ 5/6x125mm	255x230x250	60/10	7/5.5
111001527	⊕ 6/6x150mm	280x230x250	60/10	7.5/6
111001528	⊕ 6/6x150mm	280x230x250	60/10	7.5/6
111001529	⊕ 8/8x200mm	340x230x270	60/10	12/10
111001530	⊕ 8/8x200mm	340x230x270	60/10	12/10

## High Grade VDE Screwdriver

- High quality Cr-V shaft, complete quenched, good hardness and flexibility.
- Knife and insulative handle combined perfectly, insulative against high voltage to ensure safety.
- Mainly used to remove and tighten the screw, and can prevent electric shocks hurt when others switch on the electric brake wrongly, best tool for electrician.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111001501	⊕ PHx60mm	300x185x185	100/10	4/3
111001502	⊕ PH1x80mm	320x220x200	100/10	6.5/5.5
111001503	⊕ PH2x100mm	245x215x225	50/5	5.5/4.5
111001504	⊕ PH3x150mm	290x230x245	50/5	8.5/7.5
111001511	⊕ 3/3x75mm	300x185x185	100/10	4/3
111001512	⊕ 4/4x100mm	320x220x200	100/10	6.5/5.5
111001513	⊕ 5/5.5x125mm	245x215x225	50/5	4.5/3.5
111001514	⊕ 6/6.5x150mm	290x230x245	50/5	6.5/5.5



**LAND GROUP**  
FOR NEXT MIRACLE

## High grade Tool series

### High Grade Go-through Shaft Screwdriver

- High quality Cr-Mo shaft, completely quenched, good hardness and flexibility.
- Strong magnetic bits for easy operation.
- TPR + PP Double Color Handle, according to the ergonomic principles.
- Go-through shaft suitable for striking, special reinforced hexagonal shaft.



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111009505	Φ6/6x150mm	295x200x250	48/6	8/7
111009521	Φ6/6x150mm	295x200x250	48/6	8/7
111009502	Φ7/8x200mm	345x200x250	48/6	10/9
111009506	Φ7/8x200mm	295x200x250	48/6	10/9

### High Grade 6pcs Multi-functional Fine Replacing Screwdriver Set

- 6pcs: PH1 & 2.5mm, T8&T20, T7&T15, T6&T10, T5&T9, Driving handle

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111009501	6pcs	385x230x285	36	5/4

### High Grade 18pcs Screwdriver Bits Set

- 18pcs: Slotted bits: 1.5mm, 2.0mm, 2.5mm, 3.0mm, 4.0mm. Phillips bits: PH000, PH00, PH0, PH1. Star bits: T5, T6, T7, T8, T10, T15, T20.
- Driving handle.
- Connecting shaft.
- Plastic case.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111009522	18pcs	385x330x235	20	5/4

### High Grade 8pcs Screwdriver Set

- 8pcs: Slotted: 3x7.5mm, 5x7.5mm, 6x100mm, 6x150mm. Phillips: PH0x7.5mm, PH1x7.5mm, PH2x100mm, PH3x150mm.
- Cr-V forged shaft.
- TPR and reinforced PP synthesized grip.



TOP

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111009508	8pcs	295x200x250	10	8/7

### High Grade 1/4" Driving Handle

- Especially for 6.3mm(1/4") series bits.
- Magnetic shaft to secure the bits from falling down.
- TPR and improved PP grip.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111007536	1/4"x5"	315x240x220	60/6	8/6

### American-type Claw Hammer

- 4PCS: 6mm 12mm 19mm 25mm
- Forged high quality Cr-V
- Double color handle

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
116010505	4PCS	370x230x205	4	11/10

### High Grade Screwdriver Bits (1/4")

- High grade S-2 alloy steel, satin finish.
- Complete quenched, non-broken, non-slippery, max hardness HRC-60
- Normal 6.3mm(1/4") hexagonal driving, matching the driving handle, convenient.

TOP



65mm Phillips end

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111007525	PH1-PH1	185x145x170	600/100	11/9
111007526	PH2-PH2	185x145x170	600/100	11/9
111007527	PH3-PH3	185x145x170	600/100	11/9
111007528	4.5mm-PH1	185x145x170	600/100	11/9
111007529	5.5mm-PH2	185x145x170	600/100	11/9
111007530	6.5mm-PH3	185x145x170	600/100	11/9
111007531	PH1-PH2	185x145x170	600/100	11/9
111007532	PH2-PH3	185x145x170	600/100	11/9

50mm Phillips end

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111007507	PH0	185x145x170	600/100	9/7
111007508	PH1	185x145x170	600/100	9/7
111007509	PH2	185x145x170	600/100	9/7
111007510	PH3	185x145x170	600/100	9/7

50mm star end

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111007511	T-8	185x145x170	600/100	9/7
111007512	T-10	185x145x170	600/100	9/7
111007513	T-15	185x145x170	600/100	9/7
111007514	T-20	185x145x170	600/100	9/7
111007515	T-25	185x145x170	600/100	9/7
111007516	T-27	185x145x170	600/100	9/7
111007517	T-30	185x145x170	600/100	9/7
111007518	T-40	185x145x170	600/100	9/7

50mm slotted end

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111007501	3.0mm	185x145x170	600/100	9/7
111007502	4.0mm	185x145x170	600/100	9/7
111007503	5.0mm	185x145x170	600/100	9/7
111007504	5.5mm	185x145x170	600/100	9/7
111007505	6.0mm	185x145x170	600/100	9/7
111007506	6.5mm	185x145x170	600/100	9/7

50mm hex end

Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
111007519	2.0mm	185x145x170	600/100	9/7
111007520	2.5mm	185x145x170	600/100	9/7
111007521	3.0mm	185x145x170	600/100	9/7
111007522	4.0mm	185x145x170	600/100	9/7
111007523	5.0mm	185x145x170	600/100	9/7
111007524	6.0mm	185x145x170	600/100	9/7

### High Grade 5pcs Medium Teeth File Kit

TOP

- High hardness Cr-Mo forged
- Even teeth shape and pitch for quick and stable file cut, high efficiency
- Teeth with special heat treated coating, durable
- Anti-slippery and comfortable rubber grip



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
116008501	8" x 5pcs	360x220x210	10	12/10

### High Grade Automatic Wire Stripper

TOP

- Forged high quality Cr-V, nickel steel plated.
- With adjustable screws to match the size of the wire.
- Double stained handle, attractive, anti-slip and comfortable.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109015502	6(150mm)	345x255x230	48/6	9/8

### High Grade Wire Stripper

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109015512	9(225mm)	440x315x315	72/6	16/14



### High Grade E-cut Pliers

- Cr-V alloy forged.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109001507	5"(125mm)	565x395x245	100/10	9/7

### High Grade Side Cutting Pliers

- Cr-V alloy forged.
- Multifunctional heavy duty pliers, both cutting and stripping.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109019002	5"(125mm)	440x220x310	100	8/7

### High Grade Portable Digital Multimeter



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
114009501	Em369	360x270x260	20	7/6

### High Grade Auto Tester



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
114004502	6-12-24V DC	365x335x240	60	4/3

### High Grade 10 Times Life Electric Iron



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
114001501	30W	520x320x280	60/10	14/12
114001502	40W	520x320x280	60/10	14/12
114001503	60W	520x320x280	60/10	14/12

### High Grade Thermostat Hot Air Gun



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
114003503	1600W	445x275x275	5/1	5/4

### High Grade Square Tubular Hacksaw Frame

- The max clamping force is 32000pound/sq.m
- You may store more replacing saw blades in the frame
- Half-automatic lock system, easier and safer to replace the saw blade
- Aluminium alloy and steel tube frame, strong and durable, surface painted to resist rust and wearing



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
115008501	12"(300mm)	440x365x335	30	21/19

### Blade

- SK-5



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
115002501	18x100mm	405x375x255	120	7/5
115002502	19x48mm	405x375x255	120	9/7

### High Grade Grease Gun



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
115006501	400CC	520x330x400	20	25/24

### High Grade Multi-functional Digital Voltage Tester



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
114004501	12-250V AC/DC	565x245x260	60/10	7/6

### High Grade Snap Off Cutters

- Imported SK-5 blade, with one additional blade for replacement
- ABS+TPR anti-slippery grip, comfortable feeling.



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
115001502	M99	475x260x375	60	8/7

### High Grade Automatic Wire Stripper

- 2 in 1 multi-purpose stripper and cutter, applicable wire stripper size: 0.5mm-6mm;
- Self-adjusting mechanism according to wire size providing excellent wire stripping W/O;
- Adjustable stop for consistent wire strip lengths; replaceable blade system;
- Simple adjustment dial for blade pressure according to the thickness of insulation;



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
109001507	5"(125mm)	565x395x245	100	9/7





**Ball Pein Hammer**  
• Fibre-glass handle

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
116002501	0.25kg	345x265x175	36/4	15/13
116002502	0.5kg	360x215x210	24/4	16/14
116002503	0.75kg	400x250x160	16/4	16/14

**American-type Claw Hammer**  
• Fibre-glass handle

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
116001501	0.25kg	365x340x175	36/4	17/15
116001502	0.5kg	390x295x200	24/4	19/17
116001503	0.75kg	395x320x150	16/4	17/15

**Rubber Mallet**  
• Industrial-grade environmental SBR rubber material for head.  
• Fibre-glass handle.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
116009502	12OZ	430x280x270	24/4	13/11
116009503	16OZ	490x330x360	24/4	15/13

**High Grade Double Hold Riveter**

- Aluminium alloy head, the rivet gear inside the head is made of steel alloy for powerful rivetting force.
- Double hands grip, portable and easy.
- Fine polished handle, resist rust & wearing, beautiful.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
115005501	17"	475x250x320	10	13/11

**23PC High Grade Socket Set (Aluminium Box)**

- 12.5mm ( 1/2" ) DR., forged with 50BV30 Cr-V, Aluminium alloy box.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
112001505	23PC	360x235x150	2/1	9/8kg

Specification	PCS
12.5mm DR. 12PT. Short socket: 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30, 32mm	13
12.5mm DR. 6PT. Lengthened socket: 12, 14, 17, 19mm	4
12.5mm DR. Spark plug socket: 16/21mm	2
Fully polished 45-gear Ratchet wrench	1
Extension bar: 10"	1
Aluminium alloy tool case	1

**High Grade Environment-friendly Double Hold Riveter With Big Power**

- Collecting flask design. Never dropping & locking in operating.
- Environmentally-friendly materials, accord EEC Standard.
- Rivetting stainless steel 6.4mm.
- Double hands grip, portable and easy.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
115005503	22"	565x245x375	10	21/19

**32PC High Grade Socket Set (Aluminium Box)**

- 12.5mm ( 1/2" ) DR., forged with 50BV30 Cr-V, Aluminium alloy box.

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
112001504	32pcs	470x310x155	2/1	12/11kg

Specification	PCS
12.5mm DR. 12PT. Short socket: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm	20
12.5mm DR. 6PT. Short socket: 10, 12, 14, 17, 19mm	5
12.5mm Universal joint	1
12.5mm Sliding shaft: 10"	1
12.5mm Arching rocker	1
Fully polished 45-gear Ratchet wrench: 10"	1
Extension bar: 5", 10"	2
Aluminium alloy tool case	1

**High Grade Metal Tool Box**

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
114006501	2-layer	470x410x235	2	8/7

**9PC High Grade Tool Set (Aluminium Box)**

TOP



Item No.	Specification	Pack. dimen. (mm)	QTY	G.W/N.W(kg)
112003501	9PC	380x300x260	5	11/9kg

Specification	PCS
Combination pliers: 6"	1
Adjustable wrench: 8"	1
Slotted screwdriver	1
Phillips screwdriver	1
Claw hammer: 0.25kg	1
Digital voltage tester	1
Snap off blade cutter	1
Steel tape: 3m	1
Aluminium tool box	1



**LAND GROUP**  
— FOR NEXT MIRACLE —

# EasyPliers



**Cr-V**  
**Hardness up to 60HRC**

- VDE certified, resistance against 1000V.
- High pressure insulative protective handle
- Suitable for the cutting of all metal wire & electric wire

## EasyPliers Pliers

### Combination Pliers

- Co-molded rubber handle
- American-style

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109001023	6"/150mm	505x385x245	60/10	16/14
109001083	8"/200mm	555x435x310	60/10	28/26



### Cutting Pliers

- Co-molded rubber handle
- American-style

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109002023	6"/150mm	505x385x245	60/10	14/12



### Long Nose Pliers

- Co-molded rubber handle
- American-style

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109003023	6"/150mm	505x385x245	60/10	12/10



### Combination Pliers

- Co-molded rubber handle
- European-style

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109001024	6"/150mm	605x330x225	60/10	16/14
109001054	7"/175mm	635x330x250	60/10	23/21
109001084	8"/200mm	635x330x250	60/10	28/26



### Cutting Pliers

- Co-molded rubber handle
- European-style

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109002024	6"/150mm	605x330x230	60/10	14/12



### Long Nose Pliers

- Co-molded rubber handle
- European-style

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109003024	6"/150mm	605x330x260	60/10	12/10
109003054	7"/175mm	635x330x260	60/10	18/17
109003084	8"/200mm	635x330x260	60/10	22/20



## EasyPliers Pliers

### Fully Polished Combination Pliers

- Co-molded rubber handle
- European-style



Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109001108	6"/150mm	605x330x225	60/10	15/14
109001109	7"/175mm	605x330x250	60/10	20/19
109001110	8"/200mm	635x330x250	60/10	22/21

### Labor-saving Combination Pliers

- Co-molded rubber handle
- Japanese-style



Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109001098	7"/175mm	635x330x250	60/10	20/19
109001097	8"/200mm	720x335x280	60/10	28/26

### Lock-grip Pliers

- Long nose



Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109014002	9"/225mm	545x270x315	60/6	27/25

### 5pcs snap Ring Pliers

- Multi-purpose



Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109016001	5pcs	720x285x295	60	14/13

### Fully Polished Long Nose Pliers

- Co-molded rubber handle
- European-style



Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109003105	6"/150mm	605x330x260	60/10	12.5/11.5
109003106	8"/200mm	635x330x260	60/10	18/17

### Labor-saving Cutting Pliers

- Co-molded rubber handle
- Japanese-style



Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109002097	6"/150mm	605x330x225	60/10	16/14
109002098	8"/200mm	720x335x280	60/10	22/20

### Lock-grip Pliers

- Round mouth



Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109014001	10"/250mm	545x295x215	60/6	27/25

### Fully Polished Cutting Pliers

- Co-molded rubber handle
- European-style



Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109002103	6"/150mm	605x330x225	60/10	15/14

### Labor-saving Long Nose Pliers

- Co-molded rubber handle
- Japanese-style



Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109003097	6"/150mm	650x330x230	60/10	14/12
109003098	8"/200mm	635x330x260	60/10	22/20

### Slip-joint Pliers

- 2-color dip plastic pliers handle



Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109012001	10"/250mm	510x260x340	60/6	34/32
109012002	8"/200mm	480x260x280	60/6	20/19

### Snap Ring Pliers

7"/175mm



Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109005501	Shaft with a straight part	510x475x210	60/10	12/10
109005502	Shaft with curved	510x475x210	60/10	12/10
109005503	Hole with a straight part	510x475x210	60/10	12/10
109005504	Hole with curved	510x475x210	60/10	12/10



109005001

109005003



109005002

109005004

### Snap Ring Pliers

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109005001	6"/160mm	630x230x265	60	8/7
109005002	6"/160mm	630x230x265	60	8/7
109005003	6"/160mm	630x230x265	60	8/7
109005004	6"/160mm	630x230x265	60	8/7





**Mini Combination Pliers**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109001002	5"/125mm	480x400x290	240/12	14/13



**Mini Long Nose Pliers**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109004032	5"/125mm	480x400x290	240/12	14/13



**Mini Cutting Pliers**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109004034	5"/125mm	480x400x290	240/12	14/13



**Mini Thin Cutting Pliers**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109002002	5"/125mm	480x400x290	240/12	14/13



**Water Pump Pliers**

• 2-color dip plastic pliers handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109011001	10"/250mm	590x295x230	60	26/25
109011002	8"/200mm	550x330x225	60	16/15



**Pipe Wrench**

• Dip plastic pliers handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109007001	8"/200mm	310x220x240	72	33/32
109007002	10"/250mm	280x250x270	48	34/33
109007003	12"/300mm	300x270x240	36	35/34
109007004	14"/350mm	350x295x175	24	34/33
109007005	18"/450mm	440x270x150	12	26/25
109007006	24"/600mm	560x160x240	10	35/34
109007007	36"/900mm	790x190x90	6	30/29
109007008	48"/1200mm	1110x190x90	2	22/21



**Mini Thin Cutting Pliers**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109004033	5"/125mm	480x400x290	240/12	14/13



**PVC Pipe Cutter**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115003003	306#	570x560x320	48	23/22



**Pipe Vice**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109007015	2#	395x300x240	5	14/13
109007016	3#	360x340x270	4	23/22



**Bench Vice Swiveled With Anvil**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109014010	4"heavy duty	360x350x190	2/1	19/18
109014011	5"heavy duty	420x420x210	2/1	28/27
109014012	6"heavy duty	520x240x260	1/1	23/21
109014013	8"heavy duty	580x260x280	1/1	38/34
109014014	10"heavy duty	590x280x280	1/1	42/41
109014020	6"light duty	410x200x195	1/1	16/15
109014021	8"light duty	580x260x280	1/1	21/20



**Screw Extractor Kit**

• 5pcs:1/8"-1/4" 1/4"-5/16" 5/16"-7/16" 7/16"-9/16" 9/16"-3/4"  
• 6pcs:1/8"-1/4" 1/4"-5/16" 5/16"-7/16" 7/16"-9/16" 9/16"-3/4" 3/4"-1"

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
111008010	5PCS	740x200x260	120/12	16/15
111008011	6PCS	735x220x270	120/12	29/28



**G-clamp**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
117002031	2"	260x210x390	120/10	26/25
117002032	3"	290x180x490	80/8	27/26
117002033	4"	530x230x240	50/5	31/30
117002034	5"	390x260x260	36/6	35/34
117002035	6"	360x280x280	30/5	32/31
117002036	7"	340x260x300	20/5	34/33



**Hydraulic Hole Digger Set**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109010008	8B#	445x260x215	2/1	14/13



**LAND GROUP**  
— FOR NEXT MIRACLE —

# EasyCut



## SK5 blade Cut pipe from 3mm to 42mm.

- Specially suitable for cutting of the plastic tube made of PVC, ABS, CPVC etc.
- Aluminium alloy handle, SK5 blade
- With safety clip, portable and easy for storage.

## EasyCut Cutting tools



### Snap Off Cutters

- 5pcs blades

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115001011	MGZD06	485×280×360	48	10/8



### Snap Off Cutters

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115001013	LD-FK02	590×385×450	240	28/26



### Snap Off Cutters

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115001003	M87A	460×460×290	192	18/17



### Snap Off Cutters

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115001002	MGL-88	455×455×290	192	20/19



### High Grade Utility Knife

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115001010	MGZD05	500×280×365	72	14/13



### Blade

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115002008	18×100mm	395×265×120	3000	20/19
115002009	19×48mm	395×265×120	1000	20/19



## EasyCut Cutting tools



**NEW**

### Pipe Cutter

- Long nose

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109010032	3-28mm	500x300x315	60/10	12/11



### Pipe Cutter

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115003007	10-38mm	480x280x270	5/1	23/22
118003008	15-50mm	365x280x270	4/1	30/29



**NEW**

### PVC Pipe Cutter

- Exclusive blade for cutter,suitable for cutting the copper pipe ,aluminium tube and thin-wall conduit with the diameter from 6mm to 64mm.
- Bearing steel forged.

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115002503	28x5x6,4mm 2pc	520x250x315	200/40	6/4



**NEW**

### PVC Pipe Cutter

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115003004	6-42mm	560x290x410	48/6	25/24



**NEW**

### PVC Pipe Cutter

- Suitable for cutting the plastic tube made of PVC,ABS,CPVC etc. with the diameter form 3mm to 64mm.
- SK-5 blade,aluminium alloy handle with plastic inserts, beautiful appearance and comfortable grip.
- With safety clip,easy for storage.

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115003503	3-64mm	680x490x325	48/6	24/23



**NEW**

### PVC Pipe Cutter

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115003006	6-63mm	490x400x460	20/5	25/24



### Bolt Cutters

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109006001	18"/450mm	500x300x190	10/1	18/17
109006002	24"/600mm	650x300x325	10/1	33/32
109006003	30"/750mm	770x170x220	5/1	24/23
109006004	36"/900mm	970x190x235	5/1	32/31
109006005	48"/1050mm	1100x200x275	3/1	46/45



### Bolt Cutters Bit

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109017001	18"#	290x240x160	30	18/17
109017002	24"#	330x270x170	30	33/32
109017003	30"#	360x200x200	20	24/23
109017004	36"#	400x275x140	12	32/31
109017005	48"#	400x220x20	12	46/45



**NEW**

### Hydraulic Steel-bar Tongs Model

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109010005	Ø5-12mm	400x350x200	5/1	13/12
109010006	Ø5-16mm	460x180x400	4/1	16/15
109010007	Ø5-20mm	560x250x440	4/1	27/26



**NEW**

### Hydraulic Bolt Cutters

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109010011	120A	460x180x400	4/1	19/18
109010012	240A	510x190x400	4/1	24/23
109010013	300A	510x190x400	4/1	28/27



**NEW**

### Bent Nose Bolt Cutting

- 2-color dip plastic pliers handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109020001	10"/250mm	505x305x290	60/6	29/27



**NEW**

### Heavy-duty Wire Cutter

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109009015	24"/600mm	630x150x370	10/1	32/30
109009016	36"/900mm	930x210x200	5/1	34/32





**LAND GROUP**  
FOR NEXT MIRACLE

EasyTwist  
Wrenches



**Mini Bolt Cutting**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109006006	10"/250mm	540×290×190	60/6	20/19



**Wire Cutter**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109009012	8"/200mm	505×285×290	60	25/24



**NEW**

**Heavy-duty Wire Cutting Pliers**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109009045	5"/125mm	380×160×260	10/1	7/6
109009046	10"/250mm	590×290×180	10/1	17/16
109009047	20"/500mm	780×170×190	5/1	18/17



**Steel Sheet Scissors**

• Co-molded rubber handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109008001	10"/250mm	450×330×440	30/5	15/13
109008002	10"/250mm	450×330×440	30/5	15/13
109008003	10"/250mm	450×330×440	30/5	15/13



**NEW**

**Heavy-duty Wire Cutting Pliers**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109009041	10"/250mm	505×245×255	60/6	35/34



**Carpentry's Plier**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109020002	6"/150mm	450×240×270	60	16/15
109020003	8"/200mm	455×290×300	60	26/25
109020004	10"/250mm	480×340×310	60	35/34

# EasyTwist



**Rust resistant & tempered and hardened**

- Accurate screws, moving smoothly, with scale
- Anti-slip and comfortable rubber grip



**LAND GROUP**  
— FOR NEXT MIRACLE —

## EasyTwist Wrenches



### Adjustable Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110002001	6"/150mm	500×250×260	100	16/14
110002002	8"/200mm	230×140×370	50	13/12
110002003	10"/250mm	280×145×255	30	13/12
110002004	12"/300mm	330×185×270	30	22/21
110002005	15"/375mm	410×175×230	20	27/26
110002006	18"/450mm	490×290×175	12	25/24



### Adjustable Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110001001	6"/150mm	320×170×230	100/10	13/12
110001002	8"/200mm	345×245×270	100/5	25/24
110001003	10"/250mm	435×280×170	50/5	22/20
110001004	12"/300mm	380×345×195	40/5	26/25
110001005	15"/375mm	420×400×200	18/2	25/24
110001006	18"/450mm	470×300×150	10/1	24/22
110001007	24"/600mm	620×310×130	6/1	29/28

### Fully Polished Combination Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110012019	8mm	340×210×160	240/12	8/7
110012020	9mm	340×210×160	240/12	12/10
110012021	10mm	340×210×160	240/12	12/10
110012022	11mm	340×210×160	240/12	14/13
110012023	12mm	400×220×110	240/12	16/15
110012024	13mm	460×240×220	240/12	17/16
110012025	14mm	460×240×220	240/12	18/17
110012026	15mm	360×240×180	144/12	22/21
110012046	16mm	400×270×200	144/12	22/21
110012027	17mm	400×270×200	144/12	22/21
110012047	18mm	400×270×200	144/12	22/21
110012028	19mm	400×270×200	120/12	25/24
110012043	20mm	310×300×220	96/12	24/23
110012048	21mm	310×300×220	96/12	23/22
110012029	22mm	360×280×260	72/6	21/20
110012030	24mm	360×280×260	72/6	25/24
110012031	27mm	420×410×160	48/6	25/24
110012044	28mm	420×410×260	48/6	25/24
110012032	30mm	450×220×150	24/6	14/13
110012033	32mm	450×220×150	24/6	20/19



### Fully Polished Double End Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110013016	6mm×7mm	400×160×110	240/12	11/10
110013018	8mm×10mm	360×180×150	240/12	13/12
110013000	9mm×11mm	360×180×150	240/12	14/13
110013019	10mm×12mm	400×200×190	240/12	15/14
110013072	11mm×13mm	360×180×150	240/12	16/15
110013021	12mm×14mm	400×200×190	240/12	16/15
110013023	13mm×15mm	400×200×190	240/12	17/16
110013073	13mm×16mm	400×200×190	240/12	18/17
110013022	14mm×17mm	320×240×240	240/12	19/18
110013024	16mm×18mm	320×240×240	180/12	24/23
110013025	17mm×19mm	320×240×240	180/12	28/27
110013074	18mm×21mm	320×240×240	180/12	29/28
110013026	19mm×22mm	420×350×130	180/12	31/30
110013027	22mm×24mm	420×350×130	72/12	20/19
110013028	27mm×27mm	350×330×250	72/12	28/27
110013029	30mm×32mm	340×330×240	48/12	28/27
110013076	32mm×34mm	350×350×150	48/12	34/33



### Fully Polished Double Box End Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110009019	6×7mm	390×160×220	500	25/24
110009020	8×10mm	400×170×220	500	26/25
110009021	10×12mm	310×190×220	300	24/23
110009022	9×11mm	280×190×220	300	22/21
110009023	12×14mm	250×220×220	200	25/24
110009024	13×15mm	330×240×250	200	22/21
110009025	14×17mm	350×250×250	200	20/19
110009026	17×19mm	300×300×190	100	19/17
110009027	19×22mm	360×330×170	80	21/20
110009028	22×24mm	330×180×210	50	23/21
110009029	21×23mm	330×180×210	50	23/22
110009030	24×27mm	380×210×210	50	24/23
110009031	30×32mm	430×260×210	30	21/20



### Adjustable Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110001008	6"/150mm	500×250×260	100	16/14
110001009	8"/200mm	230×140×370	50	13/12
110001010	10"/250mm	280×145×255	30	13/12
110001011	12"/300mm	330×185×270	30	22/21
110001012	15"/375mm	410×175×230	20	27/26
110001013	18"/450mm	490×290×175	12	25/24

### Fully Polished Combination Wrench Set

- **8PC:** 8mm, 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm
- **10PC:** 8mm, 9mm, 10mm, 11mm, 12mm, 14mm, 15mm, 17mm, 19mm, 22mm
- **12PC:** 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm
- **14PC:** 8mm, 10mm, 11mm, 12mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm, 27mm, 30mm, 32mm

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110012038	8PCS	350×320×290	20	26/25
110012039	10PCS	420×340×190	15	22/21
110012040	12PCS	360×360×270	10	28/27
110012041	14PCS	460×240×340	6	32/31



### Fully Polished Double End Wrench Set

- **8PC:** 6×7mm, 8×10mm, 10×12mm, 12×14mm, 14×17mm, 17×19mm, 19×22mm, 22×24mm
- **10PC:** 6×7mm, 8×10mm, 9×11mm, 10×12mm, 12×14mm, 14×17mm, 17×19mm, 19×22mm, 24×27mm
- **12PC:** 6×7mm, 8×10mm, 9×11mm, 12×14mm, 13×15mm, 14×17mm, 17×19mm, 19×22mm, 21×23mm, 22×24mm, 24×27mm, 30×32mm

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110013033	8PCS	450×290×250	24	29/28
110013034	10PCS	340×340×260	14	29/28
110013035	12PCS	450×340×270	12	31/30





**LAND GROUP**  
FOR NEXT MIRACLE

## EasyTwist Wrenches



### Fully Polished Double Box End Wrench Set

- **8PC:** 6×7mm, 8×10mm, 10×12mm, 12×14mm, 14×17mm, 17×19mm, 19×22mm, 22×24mm
- **10PC:** 6×7mm, 8×10mm, 9×11mm, 10×12mm, 12×14mm, 14×17mm, 17×19mm, 19×22mm, 24×27mm
- **12PC:** 6×7mm, 8×10mm, 9×11mm, 12×14mm, 13×15mm, 14×17mm, 17×19mm, 19×22mm, 21×23mm, 22×24mm, 24×27mm, 30×32mm

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110009035	8PCS	620×420×220	20	27/26
110009036	10PCS	535×300×180	10	24/23
110009037	12PCS	520×350×210	6	20/18



### Ratchet Combination Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110011010	8mm	340×150×125	240/12	11/10
110011011	9mm	320×160×215	240/12	11/10
110011012	10mm	350×180×215	240/12	15/14
110011013	11mm	350×180×215	240/12	19/18
110011014	12mm	450×195×170	240/12	24/23
110011015	13mm	490×190×180	240/12	27/26
110011016	14mm	325×210×240	120/12	15/14
110011017	15mm	325×210×240	120/12	18/17
110011018	16mm	290×220×185	120/12	21/20
110011019	17mm	230×125×165	60/6	12/11
110011020	18mm	250×165×185	60/6	15/14
110011021	19mm	290×130×140	60/6	25/24



### Ratchet Combination Wrench Set

- 7PCS: 8mm, 10mm, 12mm, 13mm, 14mm, 17mm, 18mm

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
112001007	7PCS	330×240×130	6	20/18



### Combination Wrench Set

- 7PCS: 8mm, 10mm, 12mm, 13mm, 14mm, 17mm, 18mm

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
112001008	7PCS	330×240×130	6	20/18



### Double Gauge Sharp-tailed Ratchet Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110011040	16×18mm	400×350×230	40/2	22/21
110011041	17×19mm	400×350×230	40/2	22/21
110011042	19×21mm	400×350×230	40/2	22/21
110011043	19×22mm	400×350×230	40/2	23/22
110011044	22×24mm	395×340×290	32/2	28/27
110011045	24×27mm	395×340×290	32/2	29/28
110011046	27×30mm	450×410×180	20/2	24/23
110011047	30×32mm	450×410×180	20/2	24/23
110011048	32×36mm	490×270×240	12/2	25/24
110011049	36×41mm	490×270×240	12/2	26/25



### Single Box Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110009057	24mm	300×180×140	40	13/12
110009058	27mm	320×180×140	40	15/14
110009059	30mm	350×190×140	40	23/22
110009060	32mm	350×190×140	40	23/22
110009061	34mm	370×210×150	40	23/22
110009062	36mm	370×210×150	40	29/28
110009063	38mm	370×210×150	40	29/28
110009064	41mm	400×130×160	20	17/16
110009065	46mm	410×140×180	20	23/22
110009066	50mm	360×150×160	10	12/11
110009067	55mm	380×150×160	10	15/14
110009068	60mm	400×150×160	10	17/16
110009069	65mm	410×170×170	10	17/16
110009070	70mm	500×130×160	5	12/11
110009071	75mm	500×140×150	5	16/15
110009072	80mm	500×150×170	5	19/18
110009073	85mm	500×150×170	5	19/18



### Slugging Box Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110009040	24mm	195×190×200	50	13/12
110009041	27mm	195×190×200	40	16/15
110009042	30mm	250×200×200	40	22/21
110009043	32mm	250×200×200	40	22/21
110009044	34mm	210×190×140	20	14/13
110009045	36mm	210×190×140	20	14/13
110009046	38mm	250×200×200	20	15/14
110009047	41mm	250×205×200	20	18/17
110009048	46mm	250×200×200	20	23/22
110009049	50mm	260×160×150	10	14/13
110009050	55mm	260×160×150	10	17/16
110009051	60mm	290×190×170	10	20/19
110009052	65mm	305×120×160	5	12/11
110009053	70mm	335×125×190	5	17/16
110009054	75mm	335×125×190	5	17/16
110009055	80mm	335×125×190	5	21/20
110009056	85mm	340×130×210	5	21/20



### Single End Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110013055	24mm	230×170×160	50	14/13
110013056	27mm	260×170×160	50	15/14
110013057	30mm	300×130×240	50	24/23
110013058	32mm	300×130×240	50	24/23
110013059	34mm	340×170×190	40	28/27
110013060	36mm	340×170×190	40	28/27
110013061	38mm	340×170×190	40	28/27
110013062	41mm	350×140×180	20	20/19
110013063	46mm	360×150×190	20	24/23
110013064	50mm	400×150×230	20	29/28
110013065	55mm	400×150×230	20	29/28
110013066	60mm	450×140×200	10	23/22
110013067	65mm	450×150×200	10	23/22
110013068	70mm	460×150×130	5	16/15
110013069	75mm	460×140×130	5	16/15
110013070	80mm	530×170×140	5	20/19
110013071	85mm	530×170×140	5	20/19



### Slugging End Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110009038	24mm	210×190×190	50	13/12
110009039	27mm	210×190×190	40	16/15
110009040	30mm	230×200×200	40	26/25
110009041	32mm	230×200×200	40	26/25
110009042	34mm	210×170×120	20	16/15
110009043	36mm	210×170×120	20	16/15
110009044	38mm	220×180×130	20	16/15
110009045	41mm	250×175×200	20	19/18
110009046	46mm	250×200×200	20	26/25
110009047	50mm	280×170×140	10	15/14
110009048	55mm	280×180×140	10	17/16
110009049	60mm	310×130×120	10	14/13
110009050	65mm	310×130×120	5	14/13
110009051	70mm	345×150×200	5	20/19
110009052	75mm	345×150×200	5	20/19
110009053	80mm	380×180×160	5	28/27
110009054	85mm	380×180×160	5	28/27





**T-type Socket Wrench Set**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110008013	8mm	350×320×220	100	25/24
110008014	9mm	350×320×220	100	27/26
110008015	10mm	360×320×225	100	25/24
110008016	11mm	360×320×225	100	28/27
110008017	12mm	360×320×225	100	28/27
110008018	13mm	360×330×230	100	29/28
110008019	14mm	360×330×230	100	29/28
110008020	15mm	360×330×230	100	32/31
110008021	16mm	360×330×230	100	37/36
110008022	17mm	360×210×250	50	19/18
110008023	19mm	360×210×250	50	19/18



**Y-type Socket Wrench Set**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110008024	8×9×10mm	320×320×260	100	24/23
110008025	8×10×12mm	320×320×260	100	26/25
110008026	10×12×14mm	360×320×280	100	30/29
110008027	12×13×14mm	360×320×280	100	35/34
110008028	12×14×17mm	320×320×310	80	30/29
110008029	14×17×19mm	320×320×310	80	37/36



**Extendable Lug Wrench**

• 3PCS:17×19mm socket,21×23mm socket,L-type wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110010027	1/2"×3PCS	435×300×325	20/4	23/22



**Cross Rim Wrench**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110010028	5/8×16"	345×320×345	25/24	120g
110010029	5/8×14"	320×290×345	28/27	135g



**Ratchet Wrench**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110011050	1/2"×250mm	275×270×150	24	14.5/13.5
110011051	3/8"×200mm	230×220×185	36	12/11
110011052	1/4"×150mm	180×170×165	36	6/5



**L-type Extension Bar**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110010006	1/2"×250mm	300×150×300	60/10	27/25



**Sliding Shaft**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110010050	1/2"×250mm	300×215×125	60/10	17/16



**Universal Joint**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110010001	1/2"	290×175×175	120/10	19/17



**Extension Bar**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110010004	1/2"×125mm	280×150×150	60/10	13/11
110010005	1/2"×250mm	280×150×280	60/10	25/23



**Torque Wrench**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110015001	0-300N.m	510×400×310	20/1	23/22
110015002	0-500N.m	580×440×300	16/1	28/27



**Pre-torque Wrench (Cr-V)**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110015003	40-200N.m	690×230×320	10/1	27/25
110015004	150-450N.m	690×230×320	10/1	31/28
110015005	200-1000N.m	1050×310×180	4/1	46/44



**L-type Socket Wrench**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110010030	8mm	290×160×180	200	12/11
110010031	9mm	290×170×190	200	18/17
110010032	10mm	320×175×205	200	19/18
110010033	11mm	320×190×205	200	21/20
110010034	12mm	320×200×280	180	25/24
110010035	13mm	400×230×210	160	28/27
110010036	14mm	240×210×300	120	24/23
110010037	17mm	270×240×270	120	29/28
110010038	19mm	265×235×280	80	32/31



**LAND GROUP**  
FOR NEXT MIRACLE

## EasyTwist Sockets



### L-Shape Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110010041	14mm	310×310×220	60	25/24
110010042	17mm	360×350×190	48	27/26
110010043	19mm	360×350×210	48	29/28
110010044	21mm	360×350×230	48	28/27
110010045	22mm	370×360×240	48	28/27
110010046	23mm	360×360×240	48	29/28
110010047	24mm	370×370×250	48	30/29
110010048	27mm	390×340×360	40	26/25



### Spark Plug Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110010039	27mm×30mm	320×230×230	16	23/22
110010040	21mm×41mm	420×280×220	12	28/27



### 1/2"Socket

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110010007	8mm	250×125×175	200/10	9/8
110010008	9mm	250×125×175	200/10	10/9
110010009	10mm	250×125×175	200/10	10/9
110010010	11mm	250×125×175	200/10	10/9
110010011	12mm	250×125×175	200/10	11/10
110010012	13mm	250×125×175	200/10	11/10
110010013	14mm	250×125×175	200/10	11/10
110010014	15mm	250×125×175	200/10	11/10
110010015	16mm	250×125×175	200/10	11/10
110010016	17mm	275×140×180	200/10	15/14
110010017	18mm	290×150×180	200/10	19/18
110010018	19mm	290×150×180	200/10	19/18
110010019	20mm	340×170×180	200/10	19/18
110010020	21mm	330×170×180	200/10	19/18
110010021	22mm	330×170×180	200/10	23/22
110010023	24mm	290×190×140	120/10	12/11
110010024	27mm	320×200×150	120/10	18/17
110010025	30mm	350×230×150	120/10	23/22
110010026	32mm	370×230×150	120/10	24/23



### Filter Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110001031	8"	540×320×180	60/10	16/15
110001032	10"	600×330×170	60/10	17/16



### 1/2" Impact Socket

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110001070	8mm	290×140×230	250/25	22/21
110001071	9mm	290×140×230	250/25	22/21
110001072	10mm	290×140×230	250/25	22/21
110001073	11mm	290×140×230	250/25	21/20
110001074	12mm	290×140×230	250/25	21/20
110001075	13mm	290×140×230	250/25	21/20
110001076	14mm	290×140×230	250/25	21/20
110001077	15mm	290×140×230	250/25	21/20
110001078	16mm	290×140×230	250/25	20/19
110001079	17mm	200×160×275	180/15	18/17
110001080	18mm	200×160×275	168/14	21/20
110001081	19mm	200×160×275	168/14	19/18
110001082	20mm	200×160×275	144/12	19/18
110001083	21mm	200×160×275	144/12	18/17
110001084	22mm	200×160×275	132/12	21/20
110001085	23mm	200×160×275	132/12	23/22
110001086	24mm	200×160×275	144/12	22/21
110001087	27mm	200×160×275	72/6	17/16
110001088	30mm	200×160×275	72/6	19/18



### Spark Plug Socket

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110010002	16mm	270×160×150	120	12/10
110010003	21mm	330×195×150	120	16/14



### Magnetic Nutsetter

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110011071	8mm	535×310×210	600/60	21/20
110011072	10mm	535×310×210	600/60	24/23



### Hex Key Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110007001	3mm	270×220×120	3000	16/15
110007002	4mm	290×210×140	2100	23/22
110007003	5mm	380×150×160	1500	28/27
110007004	6mm	360×170×160	1000	29/28
110007005	8mm	450×190×130	500	31/30
110007006	10mm	370×210×140	320	34/33
110007007	12mm	440×210×130	240	41/40
110007008	14mm	440×210×140	160	41/40
110007009	17mm	450×210×170	80	33/32
110007010	19mm	490×230×180	80	46/45



### Long Type Hex Key Wrench

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110006009	3mm	190×105×140	700	7/6
110006010	4mm	215×170×140	600	11/10
110006011	5mm	245×140×160	400	13/12
110006012	6mm	245×240×190	400	22/20
110006013	8mm	245×240×190	120	22/20
110006014	10mm	305×305×110	120	23/21
110006015	12mm	305×215×190	60	19/17
110006016	14mm	340×175×210	40	20/18
110006017	17mm	370×195×140	20	17/15
110006018	19mm	425×220×160	20	24/22



**LAND GROUP**  
— FOR NEXT MIRACLE —

**NEW**



**Hex Key Wrench**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110006101	4mm	230×200×180	240/6	12/11
110006102	5mm	240×210×180	120/6	14/13
110006103	6mm	260×230×210	120/6	15/14
110006104	8mm	260×230×210	120/6	22/20



**Hex Key Wrench Set**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110006005	1.5-2-2.5-3-4-5-6	380×350×150	240/20	19/18
110006007	1.5-2-2.5-3-4-5-6-8-10	440×310×170	120/10	29/28



**Hex Key Wrench Set**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110006001	2-2.5-3-4-5-6	510×310×315	48	23.5/21.5
110006002	2-2.5-3-4-5-6-8	510×310×315	48	23.5/21.5
110006003	2-2.5-3-4-5-6-8-10	510×310×315	48	23.5/21.5
110006004	1.5-2-2.5-3-4-5-6-8-10	510×310×315	48	23.5/21.5
110006019	2-2.5-3-4-5-6	510×310×315	48	23.5/21.5
110006020	2-2.5-3-4-5-6-8	510×310×315	48	23.5/21.5
110006021	2-2.5-3-4-5-6-8-10	510×310×315	48	23.5/21.5
110006022	1.5-2-2.5-3-4-5-6-8-10	510×310×315	48	23.5/21.5



**Long Type Hex Key Wrench Set**

• 9PCS:T10-T15-T20-T25-T27-T30-T40-T45-T50

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110006008	9PCS	400×270×360	60	23/21



**Hex Key Wrench Set**

• 9PCS:1.5-2-2.5-3-4-5-6-8-10mm

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110006105	9PCS	430×340×345	60	23/22



**Hex Key Wrench Set**

• 7PCS:3-4-5-6-8-10-12mm  
• 8PCS:3-4-5-6-8-10-12-14mm  
• 9PCS:3-4-5-6-8-10-12-14-17mm

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
110006030	7PCS	360×265×165	36/6	16/15
110006031	8PCS	385×190×250	36/6	25/24
110006032	9PCS	440×210×270	36/6	41/40

**EasyTwist  
Screwdrivers**

# Screwdrivers

**Cr-V  
Hardness up to 56HRC**

- Heat treated under the vacuum condition,
- Fine polished, rust and corrosion resistant
- TPR+PP double color handle
- Tip of the shaft passed the test under German D/N torque standard







**LAND GROUP**  
FOR NEXT MIRACLE

## EasyTwist Screwdrivers

NEW



### Screwdriver

- Co-molded rubber handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
111002001	⊕ 3/5×75mm	460×350×280	96/6	7/6
111002002	⊖ 3/5×78mm	460×350×280	96/6	7/6
111002003	⊕ 4/6×100mm	530×360×280	96/6	9/8
111002004	⊖ 4/6×100mm	530×360×280	96/6	9/8
111002005	⊕ 5/6×125mm	580×370×220	72/6	7/6
111002006	⊖ 5/6×125mm	580×370×220	72/6	7/6
111002007	⊕ 6/6×150mm	540×325×255	72/6	8/7
111002008	⊖ 6/6×150mm	540×325×255	72/6	8/7
111002009	⊕ 8/8×200mm	385×365×260	48/6	9/8
111002010	⊖ 8/8×200mm	385×365×260	48/6	9/8



### Screwdriver

- Transparent handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
111001001	⊕ 3/3×75mm	370×160×120	240/12	9/8
111001002	⊖ 3/3×75mm	370×160×120	240/12	9/8
111001009	⊕ 3/3×75mm	405×185×170	240/12	10/9
111001010	⊖ 3/3×75mm	405×185×170	240/12	10/9
111001011	⊕ 4/6×100mm	470×220×180	240/12	12/11
111001012	⊖ 4/6×100mm	470×220×180	240/12	12/11
111001013	⊕ 5/6×125mm	470×245×180	240/12	14/13
111001014	⊖ 5/6×125mm	470×245×180	240/12	14/13
111001015	⊕ 6/6×150mm	470×265×180	240/12	18/17
111001016	⊖ 6/6×150mm	470×265×180	240/12	18/17
111001019	⊕ 8/8×200mm	600×330×190	240/12	23/21
111001020	⊖ 8/8×200mm	600×330×190	240/12	23/21



### Go-through Shaft Screwdriver

- Co-molded rubber handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
111003001	⊕ 4/6×100mm	385×250×250	120/12	10/8
111003002	⊖ 4/6×100mm	385×250×250	120/12	10/8
111003003	⊕ 6/6×150mm	385×295×250	120/12	15/13
111003004	⊖ 6/6×150mm	385×295×250	120/12	15/13
111003005	⊕ 8/8×200mm	365×250×225	60/12	18/16
111003006	⊖ 8/8×200mm	365×250×225	60/12	18/16



### Screwdriver

- Co-molded rubber handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
111006001	⊕ 3/5×75mm	405×225×370	180/12	18/16
111006002	⊖ 3/5×78mm	405×225×370	180/12	18/16
111006003	⊕ 4/6×100mm	405×245×370	180/12	20/18
111006004	⊖ 4/6×100mm	405×245×370	180/12	20/18
111006005	⊕ 5/6×125mm	405×270×370	180/12	21/19
111006006	⊖ 5/6×125mm	405×270×370	180/12	21/19
111006007	⊕ 6/6×150mm	405×290×370	180/12	22/20
111006008	⊖ 6/6×150mm	405×290×370	180/12	22/20
111006011	⊕ 8/8×200mm	405×345×250	120/12	22/20
111006012	⊖ 8/8×200mm	405×345×250	120/12	22/20



### Screwdriver

- Co-molded rubber handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
111005001	⊕ 3/3×75mm	405×205×305	180/12	9/8
111005002	⊖ 3/3×75mm	405×205×305	180/12	9/8
111005003	⊕ 4/6×100mm	460×235×300	180/12	12/11
111005004	⊖ 4/6×100mm	460×235×300	180/12	12/11
111005005	⊕ 5/6×125mm	460×260×300	180/12	14/13
111005006	⊖ 5/6×125mm	460×260×300	180/12	14/13
111005007	⊕ 6/6×150mm	460×285×320	180/12	18/17
111005008	⊖ 6/6×150mm	460×285×320	180/12	18/17
111005009	⊕ 8/8×200mm	510×350×250	180/12	28/26
111005010	⊖ 8/8×200mm	510×350×250	180/12	28/26



### Electrician Screwdriver

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
111001031	⊕ 3/3×75mm	310×270×220	720/20	13/12
111001032	⊖ 3/3×75mm	310×270×220	720/20	13/12
111001033	⊕ 4/3×100mm	370×190×240	600/24	14/13
111001034	⊖ 4/3×100mm	370×190×240	600/24	14/13
111001035	⊕ 6/3×150mm	330×240×270	600/30	15/14
111001036	⊖ 6/3×150mm	330×240×270	600/30	15/14
111001037	⊕ 8/3×200mm	340×290×260	600/30	17/16
111001038	⊖ 8/3×200mm	340×290×260	600/30	17/16



### 9pcs Screwdriver Set

- 9pcs: phillips:PH0×95mm,PH1×95mm,PH2×95mm  
Slotted:3×95mm,5×95mm,6×95mm  
3×95mm,5×95mm  
Driving handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
111009006	9PCS	570×280×190	30/5	10/8

### Screwdriver Set

- 6pcs:phillips:5×75mm,6×38mm,6×100mm  
Slotted:5×75mm,6×38mm,6×100mm
- 8pcs:phillips:3×75mm,5×75mm,6×100mm,8×100mm  
Slotted:5×100mm,6×125mm,6×150mm,8×200mm

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
112001028	6PCS	520×280×520	20	18/17
112001029	8PCS	520×240×670	20	20/18



**LAND GROUP**  
FOR NEXT MIRACLE

## EasyTwist Screwdrivers



### 6pcs Precision Screwdriver

Item No.	Specification	Pack. dimen.(mm)	SET	G.W/N.W(kg)
119009003	6PCS	610×350×340	180	20/19



### 7pcs Precision Screwdriver

Item No.	Specification	Pack. dimen.(mm)	SET	G.W/N.W(kg)
119009005	7PCS	450×400×340	60	15/14



### 65mm Screwdriver Bits(1/4")

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
111007012	6mm	575×330×175	1200	21/20
111007013	PH2	575×330×175	1200	21/20
111007014	T20	575×330×175	1200	21/20



### Double End Screwdriver Bits (1/4")

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
111007009	PH2×50mm	575×320×175	1200	16.5/15.5
111007010	PH2×65mm	575×320×175	1200	21/20
111007011	PH2×100mm	600×320×205	1200	33/32



### 100mm Screwdriver Bits (1/4")

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
111007005	HP1	500×230×140	600	20/19
111007006	HP2	500×230×140	600	21/19.5
111007007	HP3	500×230×140	600	21/20
111007008	1/4"	500×230×140	600	21/20



NEW

### 9pcs Letters Steel Stamp Punch

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
116012006	3mm	210×150×140	30/1	17/16
116012007	4mm	250×180×140	30/1	24/23
116012008	5mm	300×200×140	30/1	32/31
116012009	6mm	220×210×150	20/1	26/25
116012010	8mm	250×150×160	10/1	23/22



NEW

### 9pcs Number Steel Stamp Punch

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
116012001	3mm	295×150×140	100/1	18/17
116012002	4mm	350×140×140	100/1	26/25
116012003	5mm	370×190×140	100/1	36/35
116012004	6mm	230×200×150	60/1	26/25
116012005	8mm	270×195×180	30/1	32/31



### Hacksaw Blade

- H.S.S Bi-metal:115009006
- Alloy steel(elastic):115009007
- Color carbon steel:115009008

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115009006	12" 24T	370×180×160	1000/100	19/18
115009007	12" 24T	370×180×160	1000/100	19/18
115009008	12" 24T	340×200×100	1000/100	17.5/16.5



### Automatic Wire Stripper

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109015001	8"	595×344×302	60	21/19



### Wire Stripper

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109015002	9YF2-4	530×290×290	72	15/14



### Wire Stripper

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109015004	6"/(150mm)	350×280×250	60	10/9



NEW

### Electronic Multi-purpose Shears

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109009021	7"/(180mm)	465×270×230	48	8/7



**LAND GROUP**  
— FOR NEXT MIRACLE —

# Electronic Tools



**Digital display,  
with light alert function**

- For the direct measurement of 12v ~250v, indirect test of the null line, phase line and the breakpoint of A.C.
- To detect if the line is connected or not.
- Engineering plastic housing, withstanding voltage 500v the max.

## EasyTest Electronic Tools



### Soldering Pump

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114001018	8"/200mm	510×450×290	240	17/16



### Tester


Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114004009	100-500V AC	410×340×280	480	23/22



**NEW**

### Insulation Tape

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114004010	0.13×16mm×17m	420×420×195	250	22/21
114004012	0.13×18mm×9m	560×360×200	400	19/18
114004013	0.13×18mm×9m	560×360×200	400	20/19



### Multi-functional Electrical Voltage Tester

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114004007	100-500V AC	515×320×220	72	7/6



**NEW**

### Illuminated Watch Digital Electrical Voltage Tester

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114004008	12-250V	335×300×225	72/12	5/4



### Digital Voltage Tester

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114004001	12-250V AC/DC	400×355×240	240/20	5/4





**Electric Iron**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114001008	20W	560×400×300	96	15/14
114001009	35W	560×400×300	96	17/16
114001010	50W	560×400×300	96	18/17



**Electric Iron With Wood Handle**

- External heat:Item No.1140001013-1140001017
- Internal heat:Item No.114001004-114001007

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114001013	75W	360×260×275	50	14/13
114001014	100W	410×320×525	50	18/17
114001015	150W	405×315×525	50	21/20
114001016	200W	690×440×230	40	22/21
114001017	300W	620×475×265	30	24/23
114001004	100w	370×350×275	50	15/14
114001005	150W	370×350×275	50	18/17
114001006	200W	370×350×275	50	25/24
114001007	300W	440×310×205	25	22/21



**NEW**

**Electric Iron**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114001011	60W	610×430×360	60	18/17



**NEW**

**Electric Iron**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114001012	500W	415×410×290	20	21/20



**Tin Wire**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114002001	Ø2.5mm	310×160×210	48	7/6
114002002	Ø2.0mm	310×160×210	48	7/6
114002003	Ø1.8mm	310×160×210	48	7/6
114002004	Ø1.0mm	310×160×210	48	7/6



**E-cut Pliers**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109019002	5"/(125mm)	440×220×310	100	8/7



**Hot Melt Glue Gun**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114003013	40W	600×425×480	48	20/19
114003014	60W	475×360×555	48	20/19



**LED Working Lamp**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114008003	24LED	405×290×580	60	12/11



**Electrical Knife**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115004001	A	460×380×260	120	16/14
115004002	B	460×380×260	120	16/14



**NEW**

**LED Torch**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114008021	simple link	440×375×260	60	9/8
114008022	binodal	440×375×260	60	11/9



**Digital Multimeter**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114009004	Em305	520×365×370	20	16/15



**Digital Multimeter**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114009001	Em390	480×230×115	100	18/16



**Clamp Digital Multimeter**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114009001	Em360	480×230×115	100	18/16

**NEW**



**LAND GROUP**  
— FOR NEXT MIRACLE —

# Other Hardware Tools



## Aluminium alloy head

· The rivet gear inside the head is made of steel alloy for powerful rivetting force.

## Other hardware tools

NEW



### Pruner Shears

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115001026	8"	455×270×260	60	18/17

NEW



### Pruner Shears

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115001028	8"	440×290×290	80	21/20

NEW



### Pruner Shears

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115001027	8"	440×290×290	60	18/17

NEW



### Iron sheet Scissors

- plastic stained grip for comfortable feeling
- English-style

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109009032	10"/250mm	480×350×190	60/6	29/28
109009033	12"/300mm	360×350×220	40/5	30/29

NEW



### Pruner Shears

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109009051	8"	420×280×300	60	19/17

NEW



### Scissors

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115001030	170mm		72/12	11/10
115001031	195mm		72/12	12/11



**Hacksaw Frame**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115008001	12"/(300mm)	480*180*360	36/6	21/19



**American-type Claw Hammer**

- 4pcs:6mm 12mm 19mm 25mm
- Double color handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115010009	4PCS	320*270*355	36/1	25/24



**High Grade Pane Hammer**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
116011501	200g	600*300*235	48/6	15/13
116011502	300g	610*315*255	48/6	22/20
116011503	500g	640*360*275	48/6	31/29



**Ball Pein Hammer**

- steel-tube handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
116002001	0.25kg	460*300*160	48/6	14/13
116002002	0.5kg	375*225*325	36/6	27/26



**Hacksaw Frame**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115008005	12"/(300mm)	480*180*360	36/6	21/19



**Wood Chisel**

- 4pcs:10mm 12mm 15mm 24mm
- wooden handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115010001	4PCS	280*280*310	40/1	20/19



**Ball Pein Hammer**

- wooden handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
116004001	0.25kg	350*350*190	48/6	19/17
116004002	0.5kg	380*335*230	36/6	19/17



**American-type Claw Hammer**

- steel-tube handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
116001001	0.25kg	460*300*160	48/6	14/13
116001002	0.5kg	375*225*325	36/6	27/26



115008006

115008004

**Square Tubular Hacksaw Frame**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115008004	12"/(300mm)	420*320*410	36/6	23/21
115008006	12"/(300mm)	420*320*410	36/6	23/21



**Hollow Punch Kit**

- 12pcs:3mm-16mm
- 15pcs:3mm-25mm

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
116012011	12PCS	300*300*170	16/1	17/16
116012012	15PCS	395*260*190	12/1	25/24



**American-type Claw Hammer**

- wooden handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
116003001	0.25kg	335*250*300	48/6	19/17
116003002	0.5kg	380*335*230	36/6	19/17



**Ball Pein Hammer**

- Fibre-glass handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
116002005	0.25kg	550*390*220	60/6	26/25
116002006	0.5kg	500*410*240	48/6	38/37



**American-type Claw Hammer**

- Fibre-glass handle

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
116001003	0.25kg	430*270*340	60/6	26/25
116001004	0.5kg	460*390*270	48/6	38/37





NEW

**Household Folding Ladder**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
118001010	2-layer	930×490×320	4	19/18
118001011	3-layer	1250×490×320	4	27/26
118001012	4-layer	1510×490×320	4	34/33
118001013	5-layer	1760×490×320	4	42/41



**Gaulking Gun**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115006002	JGQ01 (red)	590×320×260	48	26/25
115006003	JGQ02	590×320×260	48	21/19



**Gaulking Gun**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115006009	9"	660×325×220	36	15/14



**Gaulking Gun**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115006008	9"	670×485×260	36	18/16



**Aluminium Gaulking Gun**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115006411	9"	390×260×480	12	9/8
115006512	15"	545×260×480	12	10/9



**Diamond Glass Cutter**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115020001	800	400×250×300	120	16/15
115020002	600	400×250×300	120	14/13



**Heavy Duty Caulking Gun**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115006010	340mm	780×390×390	24	28/27



**Double Hold Riveter**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115005001	17"	460×420×290	20	22.5/19.5
115005002	21"	548×243×355	20	27/26



**Double Hold Riveter**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115005005	18"	460×420×290	20	22/21



**Hydraulic Gear Puller**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
109010020	5T	460×310×160	3/1	21/20
109010021	10T	490×250×210	2/1	22/21
109010022	15T	560×210×270	2/1	31/30
109010023	20T	560×240×230	2/1	34/33
109010024	30T	530×215×200	1/1	36/35
109010025	50T	660×250×170	1/1	25/24



**High Grade Mini Environment-friendly Riveter**

- Collecting nail bottle design, never dropping in operating.
- Riveting nails with the diameter from 2.4mm to 4.8mm, Double handles hold, aluminium alloy rivet body.
- Mini design, small size but with big power, easy carriage.

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115005505	11*275mm	305*210*280	10	9/7



**Double Hold Riveter**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115005004	22"	495×300×316	12	22/20



**Electrode holders**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115015001	600A	480×400×380	50/1	27.5/26.5
115015002	800A	500×460×340	50/1	32/31
115015003	800A HEAVY DUTY	500×460×340	30/1	18/17



**Steel ruler**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113001001	150mm	280×200×90	500	10/8
113001002	300mm	360×320×90	400	27/25
113001003	500mm	565×260×100	200	29/27
113001004	600mm	665×240×50	100	18/16
113001005	1000mm	1080×110×50	40	15/13
113001006	1500mm	1600×200×50	30	31/28
113001007	2000mm	2100×200×50	30	42/39



**Steel Square**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113008001	150mm	580×210×190	120	13/11
113008002	200mm	460×305×220	120	17/15
113008003	250mm	520×400×160	120	23/21
113008004	300mm	430×370×210	60	12/11
113008005	350mm	430×370×210	60	15/13
113008006	500mm	540×430×210	60	17/15



**Steel Square**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113002001	150×300mm	350×200×160	100	14/13
113002002	250×500mm	590×300×80	50	12/11



**Aluminium Ruler(LD-LZ-1)**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
104056001	300mm	320×210×285	10	6/5.5
104056002	350mm	370×210×285	10	7/6.5
104056003	400mm	420×210×285	10	8/7.5
104056004	450mm	470×210×285	10	9/8.5
104056005	500mm	520×210×285	10	10/9.5
104056006	550mm	570×210×285	10	11/10
104056007	600mm	620×210×285	10	12/11
104056008	700mm	720×210×285	10	14/13
104056009	800mm	820×210×285	10	16/15
104056010	900mm	920×210×285	10	18/16.5
104056011	1000mm	1020×210×285	10	20/18
104056012	1200mm	1220×210×285	10	24/22



**Triangle Ruler**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113004011	150mm	330×170×190	80	10/9
113004012	200mm	445×230×290	80	18/17



**High Grade steel Triangle Ruler**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113004007	120mm	670×360×255	10/100	13/11
113004008	180mm	975×475×305	10/100	23/21



**Aluminium Ruler(LD-LZ-4)**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
104058001	300mm	335×315×215	60	5.5/5
104058002	350mm	385×315×215	60	6.5/6
104058003	400mm	435×315×215	60	7.5/7
104058004	450mm	485×315×215	60	8.5/8
104058005	500mm	535×315×215	60	9.8/5
104058006	550mm	585×315×215	60	10/9
104058007	600mm	635×315×215	60	11/10
104058008	700mm	735×315×215	60	13/12
104058009	800mm	835×315×215	60	14/13
104058010	900mm	935×315×215	60	16.5/15
104058011	1000mm	1035×315×215	60	18.5/17
104058012	1200mm	1235×315×215	60	22/20



**Combination Square**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113006002	12/300mm	570×365×320	60	15/14



**Caliper**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113006006	0-150mm	305×300×275	30/1	12/11



**Caliper**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113006020	0-150mm	305×300×275	30/1	11/10



**Caliper**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113006011	0-125mm	515×240×240	50	14/13
113006012	0-150mm	510×260×240	50	15/14
113006013	0-200mm	570×330×255	50	21/20
113006014	0-250mm	440×285×335	20	16/15



## Other hardware tools



### Digital Display Wall Detector

• Patent:200630131369.2

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
106015001F	LD-WS02	520×270×330	20	10/9



### Ultrasonic Distance Meter

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
106008001	UDM02	520×270×330	20	8/6



### Ultrasonic Distance Meter

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
106009001	UDM03	430×250×320	40	6/4



### Ultrasonic Distance Meter

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
106009001	UDM03	430×250×320	40	6/4



### Angle Finder (LD-JC01)

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113013001		450×380×300	20/1	15/13



### Height Measuring Tape (LD-SG01)

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
101054001	2.5m	610×415×255	50	8/7




### Tower Tape

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113010001	3m	1100×210×110	10	13/11.5
113010002	5m	1020×400×140	5	15/12.5
113010003	8m	1700×400×140	5	18/15.5



### Oil Measuring Tape (LD-SG01)

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114001013	5m	350×230×250mm	10	7.5/6.5
114001014	10m	350×230×250mm	10	8/7
114001015	15m	350×230×250mm	10	10/9
114001016	20m	350×230×250mm	10	11/10
114001017	25m	350×230×250mm	10	13/12



### Aplomb Bob

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113014001	4.5m	450×380×300	20	15/13
114010011	3m	410×400×280	36	18/17



### Ruler

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
113009001	3m	1190×190×110	12	11/9.5
113009002	5m	1260×225×135	12	21/19



### Carpenter's Ink Marker

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114001002	15mm	510×355×385	48	11/10





**Air Drive Dust Blow Off Gun**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115005011	230mm	650*260*470	120	18/17



**Working Lamp**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114008001	5m	420*415*400	36	23/22
114008002	10m	430*415*490	24	23/22



NEW

**Spray Guns For Paint**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115014001	PQ-1	440*390*370	20	9/7



NEW

**Spray Guns For Paint**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115014002	PQ-2	560*355*295	10	11/9



**Grease Gun**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115006006	500CC	550*390*400	20	31/28



**Grease Gun**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115006001	500CC	500*320*260	40	19/17



NEW

**Spray Guns For Paint**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115014004	F75	575*340*530	20	15/14



NEW

**Spray Guns For Paint**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115014003	K-3A	315*260*530	20	8.5/7



**Scraper**


Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115005021	2"	270*250*400	120	21/19
115005022	3"	280*260*400	120	21/19
115005023	4"	340*280*400	120	21/19
115005024	5"	380*280*400	120	23/22



**Grease Gun**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
115006007	500CC	500*320*260	40	19/17

NEW





## Other hardware tools



**Plastic Tool Box**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114005001	2002/ 12.5"	630×340×545	16	10/9



**Plastic Tool Box**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114005004	2008 /17"	630×435×715	12	15/14



**High Grade Metal Tool Box**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114006006	hand-held	400×285×160	5	20/18



**Waterproof Canvas Tool Bag**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
112004003	13-pocket	520×390×440	20	19/18



**Plastic Tool Box**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114005007	12.5"	630×340×545	16	10/9
114005008	19"	560×500×490	4	6/5
114005009	16"	420×400×675	8	8/7



**High Grade Metal Tool Box**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114006001	3-layer	450×450×200	2	9/8



**High Grade Metal Tool Box**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114006003	3-layer	430×200×195	1	5/4



**Waterproof Canvas Tool Bag**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
112004001	6-pocket	430×380×620	20	10/9



**Plastic Tool Box**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114005003	2001/ 16"	420×400×675	8	8/7



**High Grade Metal Tool Box**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114006005	hand-held	480×410×160	5	20/18



**High Grade Metal Tool Box**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
114006004	2-layer	450×400×200	2	8/7



**Waterproof Canvas Tool Bag**

Item No.	Specification	Pack. dimen.(mm)	QTY	G.W/N.W(kg)
112004002	8-pocket	400×300×480	20	7/6